

Boat Manufactured By:
ALUMACraft
 315 West St. Julien Street • St. Peter, MN 56082
 (507) 931-1050
 www.alumacraft.com



ALUMACRAFT COMPETITOR 205X SPORT

Length	20' 2"
Beam	8' 2"
Dry Weight (Boat Mfr. Pub)	2,090 lbs
Maximum HP	400 hp
Fuel Capacity	48 gal
Weight as Tested	3,795 lbs

F300XSB

Horsepower	300 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	611 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
------------------------	----

PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	15-1/4 x 18
Yamaha Part #	6CE-45934-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	80° F / 72° F
Elevation (in feet above sea level)	981'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 44 gallons of fuel, 5 batteries, Minn Kota Ulterra bow mount trolling motor, safety and test equipment.

YPB#: PB_ALM_Compétitor 205X Sport_F300XSB_7-9-25_ALM

Engine: Yamaha F300XSB

Boat: Alumacraft Competitor 205X Sport

Configuration: Single

Test Date: 9-Jul-2025



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.4	1.9	2.84
1500	7.5	2.2	3.41
2000	9.8	3.7	2.64
2500	19.0	4.8	3.99
3000	26.7	6.0	4.49
3500	31.2	7.8	4.00
4000	35.4	10.8	3.28
4500	39.9	14.5	2.76
5000	44.0	18.4	2.40
5500	48.7	24.1	2.02
5850	53.2	25.4	2.10
0-20 MPH: 4.05 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.