

PERFORMANCE BULLETIN

Boat Manufactured By:



901 Cowan Drive • Lebanon, MO 65536 {0:(417) 588-9787}

www.g3boats.com

G3 BOATS® EAGLE 160 PFX®

Length	15' 10"
Beam	5' 11"
Dry Weight (Boat Mfr. Pub)	700 lbs
Maximum HP	50 hp
Fuel Capacity	6 gal
Weight as Tested	1,437 lbs

F50LA

Horsepower	50 hp
Displacement	60.8 cu. in.
Weight (Estimated)	249 lbs
Gear Ratio	1.85

ENGINE MOUNTING HEIGHT

Mounting Hole Position #2

PROPELLER(S)

Series	Aluminum "G" Series
Diameter x Pitch	10 5/8 x 12
Yamaha Part #	6H5-45952-00-00
Propeller Material	Aluminum

TEST CONDITIONS

Number of People	2
Air / Water Temperature	82° F / 81° F
(Fahrenheit)	52 . 7 6
Elevation (in feet above sea level)	911'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 1/2 tank of fuel, 1 battery, safety and test equipment. Fuel consumption data gathered with Yamaha Command Link® fuel management system. Zero-to-20 speed data gathered with radar gun. Other speed data gathered with GPS receiver.

YPB#: PB_G3B_Eagle160PFX_F50LA_2012-06-26_ALM



F50LA

Engine: Yamaha F50LA

Boat: G3 Boats® Eagle 160 PFX®

Configuration: Single Test Date: 26-Jun-2012

PERFORMANCE DATA

1000	3.2	0.3	10.67
1500	4.5	0.6	7.5
2000	5.9	0.9	6.56
2500	6.9	1.3	5.31
3000	9.5	1.7	5.59
3500	15.6	1.9	8.21
4000	20.4	2.2	9.27
4500	24.2	2.6	9.31
5000	27.7	3.1	8.94
5500	30.9	3.9	7.92
5900	33.4	4.7	7.11

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity elevation, bottom paint, boat options affecting wind/water drag and/or boat weight and operator ability. Please confirm the specifications and performance data on your specific boatlengine combination with your deler prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using variable PowerAsted components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.