

Boat Manufactured By:



504 Waterway Drive • Amory, MS 38821

{0:(662) 597-2023}

www.avid-boats.com

AVID 18 XB

Length	17' 10"
Beam	8' 1"
Dry Weight (Boat Mfr. Pub)	1,089 lbs
Maximum HP	90 hp
Fuel Capacity	23 gal
Weight as Tested	2,052 lbs

F70LA

Horsepower	70 hp
Induction	EFI/SOHC
Displacement	996 CC
Weight (Estimated)	253 lbs
Gear Ratio	2.33:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
Ventilation Plate Height	1" Above Boat Bottom

PROPELLER(S)

Series	Talon SS
Diameter x Pitch	13-1/8 x 14
Yamaha Part #	6N7-45970-00-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	70° F / 68° F
Elevation (in feet above sea level)	200'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 12 gallons of fuel, 1 battery, trolling motor, safety and test equipment.

YPB#: PB_AVD_18XB_F70_10-27-20_ALM



Engine: Yamaha F70LA

Boat: Avid 18 XB

Configuration: Single

Test Date: 26-Oct-2020



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	3.3	0.3	11.00
1500	4.9	0.5	9.80
2000	6.0	1.0	6.32
2500	7.2	1.4	5.11
3000	9.5	2.0	4.73
3500	16.0	2.5	6.40
4000	21.2	2.8	7.55
4500	23.9	3.4	7.13
5000	26.6	4.0	6.73
5500	30.0	5.1	5.88
6300	33.9	6.3	5.42
Time to Plane: 6.47 seconds / 0-20 MPH: 7.03 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.