

Boat Manufactured By:

 3101 South US Highway 1 • Fort Pierce, Florida 34982
 (772) 429-2525
 twinvee.com



TWIN VEE 280 GFX2

Length	28' 0"
Beam	9' 6"
Dry Weight (Boat Mfr. Pub)	6,882 lbs
Maximum HP	600 hp
Fuel Capacity	230 gal
Weight as Tested	8,700 lbs

LF300USB2 / F300USB2

Horsepower	300 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	624 - 624 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
------------------------	----

PROPELLER(S)

Series	Saltwater Series II HP
Diameter x Pitch	15-1/4 x 19
Yamaha Part #	6KB-45972-00-00 / 6KA-45972-00-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	89° F / 87° F
Elevation (in feet above sea level)	0'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 60 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB_TWN_280 GFX2_TW_LF300USB2_06-28-24_CAT

Engine: Yamaha LF300USB2 / F300USB2

Boat: Twin Vee 280 GFX2

Configuration: Twin

Test Date: 28-Jun-2024



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.3	2.7	2.38
1500	8.5	4.6	1.85
2000	11.5	7.9	1.46
2500	21.1	10.2	2.07
3000	27.3	12.5	2.19
3500	32.8	17.7	1.85
4000	38.3	23.8	1.61
4500	43.1	28.8	1.49
5000	48.9	37.7	1.30
5500	54.7	50.2	1.09
6000	59.3	52.1	1.14
0-20 MPH: 3.65 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.