

Boat Manufactured By:



TIDEWATER 282 ADVENTURE CC

Length	28' 4"
Beam	9' 10"
Dry Weight (Boat Mfr. Pub)	5,800 lbs
Maximum HP	600 hp
Fuel Capacity	205 gal
Weight as Tested	8,652 lbs

F250XSB / LF250XSB

Horsepower	250 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	611 - 611 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#1
Ventilation Plate Height	3/4" Above Boat Bottom

PROPELLER(S)

Series	Saltwater Series II
Diameter x Pitch	15-1/2 x 17
Yamaha Part #	6CF-45978-20-00 / 6CE-45978-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	1
Air / Water Temperature (Fahrenheit)	88° F / 85° F
Elevation (in feet above sea level)	177'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 205 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB_TIO_282 Adventure CC_TW_F250XSB_8-20-2024_OCC

Engine: Yamaha F250XSB / LF250XSB

Boat: Tidewater 282 Adventure CC

Configuration: Twin

Test Date: 20-Aug-2024



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	6.0	2.6	2.31
1500	8.2	4.3	1.91
2000	9.9	7.0	1.41
2500	13.1	9.7	1.35
3000	23.0	12.1	1.90
3500	29.6	15.1	1.96
4000	34.2	19.8	1.73
4500	39.1	25.0	1.56
5000	43.6	31.5	1.38
5500	47.6	38.4	1.24
6100	52.6	48.8	1.08

**Time to Plane: 5.3 seconds
 0-30 MPH: 6.5 seconds**

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.