

# PERFORMANCE BULLETIN

Boat Manufactured By:



PO Box 85552 • Lexington, SC 29073 {0:(803) 749-6729}

www.tidewaterboats.com

# **TIDEWATER® 1672 SKIFF®**

Length	16' 0"
Beam	6' 0"
Dry Weight (Boat Mfr. Pub)	750 lbs
Maximum HP	50 hp
Fuel Capacity	12 gal
Weight as Tested	1,528 lbs

# F40LA

Horsepower	40 hp
Displacement	45.6 cu. in.
Weight (Estimated)	214 lbs
Gear Ratio	2

# **ENGINE MOUNTING HEIGHT**

Mounting Hole Position	#2
Anti-Ventilation Plate Height	Even With Bottom

# PROPELLER(S)

Series	Aluminum "G" Series
Diameter x Pitch	11 5/8 x 11
Yamaha Part #	69W-45947-00-00
Propeller Material	Aluminum

#### **TEST CONDITIONS**

Number of People	2
Air / Water Temperature	59° F / 60° F
(Fahrenheit)	33 1 7 00 1
Elevation (in feet above sea level)	294'
Wind Velocity	0-5 MPH

# **COMMENTS**

Test weight includes 3/4 tank of fuel, 1 battery, bow-mounted trolling motor, safety and test equipment. Fuel consumption data gathered with Yamaha Command Link® fuel management system. Zero-to-20 speed data gathered with radar gun. Other speed data gathered with GPS receiver.

YPB#: PB\_TID\_1672Skiff\_F40LA\_2012-01-09\_SKF



Engine: Yamaha F40LA

Boat: Tidewater® 1672 Skiff® **Configuration:** Single

Test Date: 9-Jan-2012

F40LA

# **PERFORMANCE DATA**

1000	3.4	0.2	17
500	4.4	0.4	11
2000	5.4	0.6	9
2500	6.5	0.9	7.22
3000	7.1	1.3	5.46
3500	10.1	1.6	6.31
4000	14.9	1.9	7.84
4500	20	2.2	9.09
5000	23.1	2.6	8.89
5500	26	3.3	7.88
6000	29.3	4.4	6.66

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity elevation, bottom paint, boat options affecting wind/water drag and/or boat weight and operator ability. Please confirm the specifications and performance data on your specific boatlengine combination with your deler prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using variable PowerAsted components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.