

Boat Manufactured By:

POLARKRAFT

300 East Chicago Street • Syracuse, IN 46567

{0:(574) 457-2082}

www.polarkraft.com

POLAR KRAFT KODIAK 200 PRO

Length	19' 10"
Beam	8' 3"
Dry Weight (Boat Mfr. Pub)	1,836 lbs
Maximum HP	225 hp
Fuel Capacity	56 gal
Weight as Tested	3,585 lbs

F225XB

Horsepower	225 hp
Induction	EFI/VCT/DOHC
Displacement	4.2L
Weight (Estimated)	551 lbs
Gear Ratio	1.75:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
------------------------	----

PROPELLER(S)

Series	Saltwater Series II™
Diameter x Pitch	15-1/2 x 17
Yamaha Part #	6CE-45978-20-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	68° F / 69° F
Elevation (in feet above sea level)	1253'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 52 gallons of fuel, 5 batteries, bow mount trolling motor, two Minn Kota Talon Shallow Water anchors, safety and test equipment.

YPB#: PB_PLK_Kodiak 200 Pro_F225XB_10-25-19_ALM



Engine: Yamaha F225XB

Boat: Polar Kraft Kodiak 200 Pro

Configuration: Single

Test Date: 24-Oct-2019



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.3	1.2	4.42
1500	7.0	2.1	3.31
2000	8.4	3.6	2.35
2500	10.0	5.1	1.96
3000	12.8	6.8	1.90
3500	30.8	7.8	3.97
4000	35.3	10.6	3.34
4500	39.6	13.2	3.01
5000	43.5	15.4	2.82
5500	47.6	20.4	2.33
5900	50.4	21.6	2.33
0-20 MPH: 4.63 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.