

Boat Manufactured By:

BULLS BAY 255

Length	24' 8"
Beam	8' 6"
Dry Weight (Boat Mfr. Pub)	3,772 lbs
Maximum HP	400 hp
Fuel Capacity	140 gal
Weight as Tested	5,916 lbs

- Bulls Bay 255

F150XSA / LF150XSA

Horsepower	150 hp
Induction	EFI/VCT/DOHC
Displacement	2.8L
Weight (Estimated)	522 - 522 lbs
Gear Ratio	2:1

Engine: Yamaha F150XSA / LF150XSA

F150XSA / LF150XSA

Boat: Bulls Bay 255

Configuration: Twin

Test Date: 25-Mar-2024

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#2
Ventilation Plate Height	2" Above Boat Bottom

PROPELLER(S)

Series	Reliance
Diameter x Pitch	13-3/4 x 19
Yamaha Part #	68F-45974-20-00 / 68G-45974-20-00
Propeller Material	Stainless Steel

TEST CONDITIONS

Number of People	3
Air / Water Temperature (Fahrenheit)	59° F / 63° F
Elevation (in feet above sea level)	0'
Wind Velocity	10-15 MPH

COMMENTS

Test weight includes 50 gallons of fuel, 3 batteries, safety and test equipment.

YPB#: PB_Bulls Bay 255_TW_F150XSA_3-25-2024_OCC

PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	4.8	1.7	2.82
1500	6.6	3.0	2.20
2000	7.6	4.9	1.54
2500	11.2	6.6	1.70
3000	21.1	7.9	2.66
3500	28.3	10.1	2.80
4000	34.1	13.2	2.59
4500	40.0	16.2	2.48
5000	44.0	22.0	2.00
5500	48.3	28.4	1.70
5900	53.4	32.2	1.66
Time to Plane: 3.60 seconds
 0-30 MPH: 7.05 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.